

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Application of: Council Directive 96/98/EC of 20 December 1996 on Marine Equipment as amended by directive (EU) 2015/559, issued as "Forskrift om Skipsutstyr" by the Norwegian Maritime Directorate. This Certificate is issued by DNV GL AS under the authority of the Government of the Kingdom of Norway.

This is to certify:

That the Launching appliances using fall (davits)

with type designation(s)
RDA22 DAVIT

Issued to

**Red Rock Marine
Kristiansand, Norway**

is found to comply with the requirements in the following Regulations/Standards:

**Annex A.1, item No. A.1/1.21 and Annex B, Module B in the Directive; SOLAS 74 as amended, Regulation III/4, III/23, III/33, III/34 & X/3, LSA Code and 2000 HSC Code 8
Annex A.1, item No. A.1/1.41d and Annex B, Module B in the Directive; SOLAS 74 as amended, Regulation III/4, III/16, III/17, III/23, III/24, III/34, X/3, LSA Code and 2000 HSC Code**


Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2021-06-15**.

Issued at **Høvik** on **2016-06-16**

DNV GL local station:
Kristiansand S

Approval Engineer:
Lap Van Duong



Notified Body
No.: **0575**

for **DNV GL AS**

Vidar Dolonen
Head of Notified Body

Product description

Rescueboat Davit and Winch with;

- Maximum Working Load, MWL = 2200 kg
- Maximum Hoisting Load, MHL = 2200 kg (3 layers)
- Wire Rope Diameter = 12mm

Application/Limitation

- Grades of materials as stated on drawings are to be delivered with makers product certificates (3.1).
- The various components transferring the load like wires, shackles, hooks, etc. are to comply with international standards or codes and are to be delivered with manufacturer's certificate, confirming a safety factor minimum 6 compared to the sustained load.
- Falls to be used with the launching appliance shall be of rotation-resistant and corrosion-resistant steel wire rope.
- Installation, onboard testing (MSC.81(70) part.2), support to the deck structure, and connection to power supply are not included in this examination and shall be accepted by attending surveyor in each case.

Type Examination documentation

Tests carried out



Job Id: **344.1-005406-1**
Certificate No: **MEDB00000ZY**

Prototype testing according to IMO Resolution MSC 81(70) carried out 2016-06-06 and witnessed by DNV GL Galatz.

Marking of product

Marking shall be implemented in accordance with the LSA Code, item 1.2.2.9:

- Type designation, manufacturer name and serial number
- Maximum Working Load, MWL

End of Certificate