DNV·GL

Certificate No:
MEDB00006YA

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

Application of: Directive 2014/90/EU of 23 July 2014 on marine equipment (MED). This Certificate is issued by DNV GL SE based on the notification of the Federal Maritime and Hydrographic Agency of Germany.

This is to certify:

That the Surface materials and floor coverings with low flame-spread characteristics: floor coverings

with type designation(s)
PCI Durapox Premium Multicolor / PCI Durapox Premium

Issued to
PCI Augsburg GmbH
Augsburg, Bayern, Germany

is found to comply with the requirements in the following Regulations/Standards:
Regulation **(EU) 2020/1170,**
item No. MED/3.18c. SOLAS 74, Reg. II-2/3, II-2/5, II-2/6 & X/3, IMO MSC/Circ. 1120, 2000 HSC Code 7 and IMO 2010 FTP Code

Further details of the equipment and conditions for certification are given overleaf.

This Certificate is valid until **2025-09-14**.
Issued at **Hamburg** on **2020-09-15**

DNV GL local station:
Augsburg

Approval Engineer:
Timo Linn

Notified Body
No.: **0098**

for **DNV GL SE**

Gerhard Aulbert
Head of Notified Body

A U.S. Coast Guard approval number will be assigned to the equipment when the production module has been completed and will appear on the production module certificate (module D, E or F), as allowed by the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment", signed February 27th, 2004, and amended by Decision No 1/2018 dated February 18th, 2019.

The mark of conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-surveillance module (D, E or F) of Annex B of the MED is fully complied with and controlled by a written inspection agreement with a Notified Body. The product liability rests with the manufacturer or his representative in accordance with Directive 2014/90/EU.
This certificate is valid for equipment, which is conform to the approved type. The manufacturer shall inform DNV GL SE of any changes to the approved equipment. This certificate remains valid unless suspended, withdrawn, recalled or cancelled.
Should the specified regulations or standards be amended during the validity of this certificate, the product is to be re-approved before being placed on board a vessel to which the amended regulations or standards apply.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV GL AS, its parent companies and subsidiaries as well as their officers, directors and employees ("DNV GL") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

© DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

Product description

"PCI Durapox Premium Multicolor / PCI Durapox Premium"
Consists of a floor covering system PCI Durapox Premium Multicolor /Ceramic tile/ PCI Durapox Premium as follows:

Epoxy resin PCI Durapox Premium Multicolor:

Is used as tile adhesive fully covered with ceramic tiles (min. size: 10 mm x 43 mm x 15mm) and a Joint width of 2mm. (Joint portion 7%)

Max applied thickness: 3.0 ±0.5 mm
Density: 1.6 g/cm³
Colour: silvergrey
Organic Content: 28%

PCI Durapox Premium for groud filling:

Max applied thickness: 15 ±0.5 mm
Density: 1.6 g/cm³
Colour: grey
Organic Content: 28%

For further details refer to the documentation listed below under "Type Examination documentation".

Application/Limitation

Approved for use as low flame spread surface material, not generating excessive quantities of smoke nor toxic products in fire.

Approved for all colour variants

Approved for use as floor covering on any low flame-spread floor covering, steel or non-combustible material.

Several layers of floor coverings are acceptable provided that each layer is approved according to the Marine Equipment Directive and bear the mark of Conformity.

The floor covering system PCI Durapox Premium Multicolor / PCI Durapox Premium fulfilled the surface flammability criteria required by MSC Res.A.653(16) for floor coverings and also for bulkheads, walls and ceilings.

Each product is to be supplied with its manual for installation and maintenance.

Type Examination documentation

Test report no.: 20181298/01.1 dated 2019-12-02 and issued by MPA Dresden Gmbh, Freiberg, Germany.
Test report no.: 20181298/02.1 dated 2019-12-02 and issued by MPA Dresden Gmbh, Freiberg, Germany.

Tests carried out

Tested according to IMO Res. MSC.307(88) – 2010 FTP Code Annex 1, Part 5 and in compliance with Annex 2, 2.2.

USCG Approval Category (Module B) number
This product has been assigned a U.S. Coast Guard Module B number 164.117/EC0098 to note type approval to Module B only as it pertains to obtaining US Coast Guard approval as allowed by the "Agreement between the European Community and the United States of America on Mutual Recognition of Certificates of Conformity for Marine Equipment" signed February 27th, 2004 and amended by Decision No.1/2018 dated February 18th, 2019.

Marking of product

The product or packing is to be marked with name and address of manufacturer, type designation, MED Mark of Conformity (see page 1) and USCG approval number, if applicable.