



DET NORSKE VERITAS

EC TYPE-EXAMINATION CERTIFICATE

CERTIFICATE NO. RCD-B-150

This Certificate consists of 3 pages

This is to certify that the product

Recreational Craft

with the type designation(s)

Skibsplast 555 Vector

Manufactured by

Skibsplast A/S

EVJE, NORWAY

has been assessed with respect to

the conformity assessment procedure described in Annex VII (Module B) of
Council Directive 94/25/EC on Recreational Craft as amended by Directive 2003/44/EC,
and found to comply with the applicable requirements

Further details are given overleaf.

Place and date

Høvik, 2006-02-07

for DET NORSKE VERITAS AS



Notified Body No.: 0575

Magnar Eide

Head of Section

Asbjørn Lønmo

Surveyor

If any person suffers loss or damage which is proved to have been caused by any negligent act or omission of Det Norske Veritas, then Det Norske Veritas shall pay compensation to such person for his proved direct loss or damage. However, the compensation shall not exceed an amount equal to ten times the fee charged for the service in question, provided that the maximum compensation shall never exceed USD 2 million. In this provision "Det Norske Veritas" shall mean the Foundation Det Norske Veritas as well as all its subsidiaries, directors, officers, employees, agents and any other acting on behalf of Det Norske Veritas.

Cert. No.: RCD-B-150
Case No.: 54.29
File No.: 274.23

Jurisdiction

DNV is appointed by the Norwegian Ministry of Trade and Industry as a "Notified Body" under the terms of the Norwegian regulation "Forskrift om produksjon og omsetning av fritidsfartøy m.v.", dated 2004-12-20 and Article 9 of Council Directive 94/25/EC as amended.

Certificate history

This is the original Certificate.

Product description

Brand name of the craft:	Skibsplast	CIN code:	NO-SKPSM.....
Type or number:	555 Vector	Construction material:	FRP
Type of craft:	Motorboat	Deck:	Open
Type of hull:	Mono hull	Type of engine(s):	Outboard
Propulsion:	Engine	Beam of hull, Bh:	2,20 m
Length of hull, Lh:	5,60 m	Light craft cond. mass, m _{LCC} :	1055 kg
Draught, Tmax:	0,32 m		

Applications/Limitations

Design category:	C - Inshore
Maximum number of persons, CL:	6
Maximum engine power:	100 kW
Maximum load, mMTL:	570 kg
Maximum load as stated on Builder's Plate : (Including outboard engine)	735 kg

Applied Standards

RCD	Standard/Rules	RCD	Standard/Rules
2	EN ISO 8666	3.6	DNV Pt.4 Ch.1-250
2.1	EN ISO 1008	3.9	DNV Pt.4 Ch.1-740
2.2	DNV Pt.4 Ch.1-170	4	EN ISO 11592
2.3	DNV Pt.4 Ch.1-710	5.1	ENh1 1547
2.4	DNV Pt.4 Ch.1-510	5.2	EN ISO 10088
2.5	EN ISO 10240	5.3	DNV Pt.4 Ch.1-470
3.1	DNV PT3 Ch3	5.4	DNV Pt.4 Ch.1-520
3.2	EN ISO 12217-3	5.6.	DNV Pt.4 Ch.1-600
3.3	EN ISO 12217-3	5.7	1972 Colregs
3.4	DNV Pt.4 Ch.1-230	5.8	DNV Pt.4 Ch.1-580
3.5	DNV Pt.4 Ch.1-1240		

Cert. No.: RCD-B-150
Case No.: 54.29
File No.: 274.23

Technical documentation

Technical Documentation: Skibsplast 555 Vector - Part A & B.
Approved: 2003.01.13 Reassessment: 2006.02.07

Terms and conditions

The product liability rests with the manufacturer, his representative or, in the absence of a representative, the importer, in accordance with the General Product Safety Directive 2001/95/EC.

The following conditions may render this certificate invalid:

- Changes in the design or construction of the product
- Changes or amendments to the Directive
- Changes or amendments in the standards which form the basis for documenting compliance with the essential requirements of the directive

Marking of product

This Certificate is concerned with the design of the product, only. In order to fully meet with the requirements of the Directive and legally affix the CE mark, the manufacturer must also have the final product and/or production assessed according to one of the procedures listed below and finally draw up an EC declaration of conformity.

- Conformity assessment procedures for production:
- Conformity to type (Annex VIII/Module C)
- Production quality assurance (Annex IX/Module D)
- Product quality assurance (Annex XVI/Module E)
- Product verification (Annex X/Module F)

Other directives, covering other phenomena, and also having requirements related to CE marking, might also apply.

END OF CERTIFICATE