

EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

This is to certify:**That the Recreational Craft**with type designation(s)
Hallberg-Rassy 412

Manufacturer

Hallberg-Rassy Varvs AB
Ellös, Sweden

Has been assessed with respect to Directive 2013/53/EU of the European Parliament and of the Council according to conformity assessment procedure "Module B" described in Annex II of the Decision No 768/2008/EC of the European Parliament and of the Council, and found to comply with the applicable requirements.

Further details are given overleaf.

Issued at **Stockholm** on **2017-04-18**DNV GL local station:
StockholmApproval Engineer:
Kristoffer UulasNotified Body
No.: **0098**for **DNV GL SE**

Ville Höglund
Deputy Head of Certification Body

The certificate is subject to terms and conditions overleaf. Any significant changes in design or construction of the product, or amendments to the Directive or the applied standards may render this certificate invalid. The product liability rest with the manufacturer or his representative in accordance with Directive 2013/53/EU of the European Parliament and of the Council.

Job Id:
Certificate No: **RCDB000002Z**

Jurisdiction

DNV GL is appointed by the Central Authority of the German Federal States for Safety (ZLS) as a "Notified Body" in accordance with § 15(1) of the Product Safety Act (ProdSG) to carry out conformity assessment procedures on Recreational Crafts in the scope of ProdSG and Directive 2013/53/EU according to the administrative decision No. ZLS-Z1471-2015/1-1.

Certificate history

This is the original Certificate.

Product description

Type designation:	Hallberg-Rassy 412		
Type of craft:	Sail	WIN code:	SE-HRM41xxxxxx
Type of hull:	Monohull	Construction material:	FRP
Length of hull (Lh), m:	12.61	Light craft cond. mass (m_{LCC}), kg:	11387
Beam of hull (Bh), m:	4.11	Fuel system: (fixed or portable)	Fixed
Propulsion:	Sail / Diesel Engine	Type of engine(s):	Inboard, S-drive

Applications/Limitations

Design category:	A
Maximum number of persons, CL:	10
Maximum engine power, prop. shaft, kW:	55
Maximum load (m_{MTL}), kg:	2796
Maximum load as stated on Builder's Plate, kg:	1760

Technical documentation

NPS Job Id. 341.3-000161-1, Reg. Date: 9 September 2016

Applied Standards/Tests carried out

Applied standards and test carried out are specified in the technical documentation.

Terms and conditions

The following conditions may render this certificate invalid:

- Changes in the design or construction of the product
- Changes or amendments to the Directive
- Changes or amendments in the standards which form the basis for documenting compliance with the essential requirements of the Directive

Marking of product

This Certificate is concerned with the design of the product, only. In order to fully meet with the requirements of the Directive and legally affix the CE mark, the manufacturer shall have the final product and/or production assessed according to one of the procedures listed below and finally draw up an EC declaration of conformity.

Conformity assessment procedures for production as described in Annex II of the Decision No 768/2008/EC of the European Parliament and of the Council:

- Conformity to type based on internal production control (Module C)
- Conformity to type based on internal production control plus supervised product testing (Module C1)
- Conformity to type based on quality assurance of the production process (Module D)
- Conformity to type based on product quality assurance (Module E)
- Conformity to type based on product verification (Module F)



Job Id:
Certificate No: **RCDB000002Z**

Other directives, covering other phenomena, and also having requirements related to CE marking, might also apply.