

# EC-TYPE EXAMINATION CERTIFICATE (MODULE B)

**This is to certify:****That the Portlights**with type designation(s)  
**CLSR, CLSO & CLS**

Manufacturer

**Man Ship Machinery & Hardware Co. Ltd.**  
**KAOHSIUNG, Taiwan**

Has been assessed with respect to Directive 2013/53/EU of the European Parliament and of the Council according to conformity assessment procedure "Module B" described in Annex II of the Decision No 768/2008/EC of the European Parliament and of the Council, and found to comply with the applicable requirements.

Further details are given overleaf.

Issued at **Stockholm** on **2017-05-16**DNV GL local station:  
**Kaohsiung**Approval Engineer:  
**Kristoffer Uulas**Notified Body  
No.: **0098**for **DNV GL SE****Ville Höglund**  
**Deputy Head of Certification Body**

The certificate is subject to terms and conditions overleaf. Any significant changes in design or construction of the product, or amendments to the Directive or the applied standards may render this certificate invalid. The product liability rest with the manufacturer or his representative in accordance with Directive 2013/53/EU of the European Parliament and of the Council.



Job Id: **341.3-000362-1**  
Certificate No: **RCDB000006H**

## **Jurisdiction**

DNV GL is appointed by the Central Authority of the German Federal States for Safety (ZLS) as a "Notified Body" in accordance with § 15(1) of the Product Safety Act (ProdSG) to carry out conformity assessment procedures on Recreational Crafts in the scope of ProdSG and Directive 2013/53/EU according to the administrative decision No. ZLS-Z1471-2015/1-1.

## **Certificate history**

This is the original Certificate.

## **Product description**

Opening type Portlights with deadlight. Type designations are listed below.

- Framing and deadlight of stainless steel (SS) 316
- Glazing of toughened glass
- Glazing and deadlight attach to framing by silicone sealant
- Hinges of SS 316
- Thumbturns of SS 316 and delrin
- Seal of San-Flex rubber

## **Applications/Limitations**

May be used on Recreational Craft subject to CE-marking under the Directive 2013/53/EU, in the following, as listed, *Application Location Areas* as defined in EN ISO 12216:2002 on *Any* Craft Type of *Any* Design Category. (see next page)

| Type | Model No. | Glazing dimension (mm) | Glazing thickness (mm) | Application location Area   |
|------|-----------|------------------------|------------------------|-----------------------------|
| CLSR | CLSR-0500 | Ø = 118                | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSR-0600 | Ø = 143                | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSR-0700 | Ø = 169                | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSR-0800 | Ø = 194                | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSR-1000 | Ø = 241                | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLSR-1200 | Ø = 292                | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLSR-1400 | Ø = 343                | 10                     | <i>IIb, III &amp; IV</i>    |
| CLSO | CLSO-0512 | 114 x 292              | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-0614 | 140 x 318              | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-0714 | 165 x 343              | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-0716 | 165 x 394              | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-0718 | 165 x 444              | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-0816 | 190 x 394              | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-0818 | 190 x 444              | 8                      | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-1020 | 241 x 495              | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-1024 | 241 x 596              | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-1224 | 292 x 596              | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLSO-1228 | 292 x 697              | 10                     | <i>I, IIb, III &amp; IV</i> |
| CLS  | CLS-0512  | 114 x 289              | 5                      | <i>I, IIb, III &amp; IV</i> |
|      | CLS-0714  | 165 x 343              | 5                      | <i>I, IIb, III &amp; IV</i> |
|      | CLS-0716  | 165 x 394              | 5                      | <i>I, IIb, III &amp; IV</i> |
|      | CLS-0718  | 165 x 444              | 5                      | <i>I, IIb, III &amp; IV</i> |
|      | CLS-0816  | 190 x 394              | 5                      | <i>I, IIb, III &amp; IV</i> |
|      | CLS-0818  | 190 x 444              | 5                      | <i>I, IIb, III &amp; IV</i> |
|      | CLS-1020  | 241 x 495              | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLS-1024  | 241 x 596              | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLS-1224  | 292 x 596              | 10                     | <i>I, IIb, III &amp; IV</i> |
|      | CLS-1228  | 292 x 697              | 10                     | <i>I, IIb, III &amp; IV</i> |

The certificate covers products with varying dimensions within the smallest and largest dimensions listed for each type. The glazing thickness shall be increased to the thicker size listed when these products exceed the dimension of the following types: CLSR-0800, CLSO-0818, CLS-0818

## Technical documentation

### Applied Standards/Tests carried out

Standard:

- EN ISO 12216:2002 Small Craft – Windows, Portlights, Hatches, Deadlights and Doors - Strength and Tightness requirements

Test:

- Test Reports for CE certification of Hatch and Portlight, dated: 1997-10-20 and 2002-09-10
- Glue Product test report, dated: February 18, 1987

### Terms and conditions

The following conditions may render this certificate invalid:

- Changes in the design or construction of the product
- Changes or amendments to the Directive
- Changes or amendments in the standards which form the basis for documenting compliance with the essential requirements of the Directive

Job Id: **341.3-000362-1**  
Certificate No: **RCDB000006H**

## Marking of product

This Certificate is concerned with the design of the product, only. In order to fully meet with the requirements of the Directive and legally affix the CE mark, the manufacturer shall have the final product and/or production assessed according to one of the procedures listed below and finally draw up an EC declaration of conformity.

Conformity assessment procedures for production as described in Annex II of the Decision No 768/2008/EC of the European Parliament and of the Council:

- Conformity to type based on internal production control (Module C)
- Conformity to type based on internal production control plus supervised product testing (Module C1)
- Conformity to type based on quality assurance of the production process (Module D)
- Conformity to type based on product quality assurance (Module E)
- Conformity to type based on product verification (Module F)

Other directives, covering other phenomena, and also having requirements related to CE marking, might also apply.