DNV·GL

Certificate No:
TAA00000R3

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Level Switches

with type designation(s)
KD-90C-SSF2-W-F6

Issued to
Kuk Dong Level Co.
Busan, Republic of Korea

is found to comply with
DNV GL rules for classification – Ships and offshore units

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Location classes:

Temperature	**A**
Humidity	**B**
Vibration	**B**
EMC	**N/A**
Enclosure	**B/IP56**

This Certificate is valid until **2021-06-20**.

Issued at **Høvik** on **2016-09-02**

for **DNV GL**

DNV GL local station: **Pusan**

Approval Engineer: **Nils Jarem**

Odd Magne Nesvåg
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

© DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

Job Id: **262.1-023586-1**
Certificate No: **TAA00000R3**

Product description

Float operated type level switch.

Model number code system KD-90C-SSF2-W-F6:

Connection method:	SS = Side-side
Connection size:	F2 = JIS 16K or others
Switching housing:	W = Weather housing
Radiation fin:	F6 = 6 Wings

Contact form & rating:	SPDT, 125VAC, 15A, 250VAC
Number of switch unit:	One
Max. working pressure:	20kg/cm²
Max. working temperature:	250°C

Approval conditions

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

Type Approval documentation

Tests carried out

Applicable tests according to class guideline DNVGL-CG-0339, November 2015.

Marking of product

The products to be marked with:
- manufacturer name
- model name
- serial number
- power supply ratings

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:
- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed at least every second year and at renewal of this certificate.

END OF CERTIFICATE