DNV·GL

Certificate No:
TAA00002CV

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Fire Technical Ancillary Equipment

with type designation(s)
5B Universal Base and 5BI Isolator Base

Issued to
Tyco Fire & Security GmbH
Neuhausen am Rheinfall, SH, Switzerland

is found to comply with
DNV GL rules for classification – Ships, offshore units, and high speed and light craft

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Location classes:

Temperature	**D**
Humidity	**B**
Vibration	**A**
EMC	**B**
Enclosure	**Required protection according to relevant rules shall be provided upon installation on board**

Issued at **Høvik** on **2019-06-20**
This Certificate is valid until **2024-06-30**.
DNV GL local station: **Southampton**

Approval Engineer: **Ståle Sneen**

for **DNV GL**

Trond Sjåvåg
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

© DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

Job Id: **262.1-003630-10**
Certificate No: **TAA00002CV**

Product description
The 5B Universal Base is a ceiling-mounted base compatible with Tyco M600/M900 Low Profile range and MX 800 detectors ranges.

The 5BI Isolator Base is compatible with the Tyco MX addressable controller loop circuits. It monitors the line condition and when detecting a short circuit, it isolates the affected section whilst allowing the rest of the addressing circuit to function normally.

Place of manufacture
TYCO Fire & Integrated Solutions S.R.O.
Ulice Osvobozeni 363
Rajecko, CZ 679 02
Czech Republic

Approval conditions
The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

Type Approval documentation

Tests carried out
Applicable tests according to class guideline DNVGL-CG-0339, November 2016.
Applicable tests according to EN 54-17:2005 for 5BI Isolator Base.

Marking of product
The products to be marked with:
- manufacturer name
- model name
- serial number
- power supply ratings

Periodical assessment
The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:
- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE