DNV·GL

Certificate No:
TAA00002E9

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Peripheral Equipment

with type designation(s)
Redundancy Link Module for PROFIBUS DP/FMS, type RLM 02

Issued to
ABB Automation GmbH
Minden, Germany

is found to comply with
DNV GL rules for classification – Ships, offshore units, and high speed and light craft

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Location classes:

Temperature	**B**
Humidity	**B**
Vibration	**B**
EMC	**B**
Enclosure	**A**

Issued at **Hamburg** on **2019-09-25**
This Certificate is valid until **2024-09-24**.
DNV GL local station: **Hamburg**

Approval Engineer: **Holger Jansen**

for **DNV GL**

Joannis Papanuskas
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

© DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

Product description

Field devices equipped with only a single PROFIBUS DP interface can be integrated in the redundant PROFIBUS network by using the Redundancy Link Module RLM 02.

Application	convertion of one simple, non-redundant Profibus line "M" into two reciprocally redundant lines "A/B". (bidirectionally mode, automatic line selection).
Power supply	24 V DC, monitored single or redundant power supply
Connections	A, B and M (RS 485 inteface, 9-pin Sub-D connector)
Adjustable transmission rate	9.6 kBits/s ... 12 MBits/s
1x nc Alarm Contact	Rating 60 V DC, max. 1A
Status and error display	LEDs for power supply (green), bus activity (yellow/red)
Mounting	DIN mounting rail

Version of Firmware: #3611678

Application/Limitation

The Type Approval covers hardware listed under Product description.
When the hardware is used in applications to be classed by DNV GL, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV GL RU SHIP Pt.4 Ch.9 Sec. 1.

Type Approval documentation

Tests carried out

Applicable tests according to Class Guideline DNVGL-CG-0339, Edition November 2016.

Marking of product

The products to be marked with:

- manufacturer name
- device name
- article number / serial number

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE