



Certificate no.:
TAA00003MJ

TYPE APPROVAL CERTIFICATE

This is to certify:

that the **Personal Computer**

with type designation(s)

Raptor lake Series (CE-RL-01, CE-RL-02, CE-RL-03, PPC-120T-RL-0x, PPC-156T-RL-0x) and NOV6-A Smart Client

issued to

Akkodis Edge Norway AS
Høvik, Norway

is found to comply with

DNV rules for classification – Ships, offshore units, and high speed and light craft
IEC 60945 Ed. 4 (2002-08) Maritime navigation and radiocommunication equipment and systems – General requirements – Methods of testing and required test results

Application:

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Location classes:

Temperature	D
Humidity	B
Vibration	A
EMC	B
Enclosure	A / IP20

Issued at **Høvik** on **2025-06-11**

This Certificate is valid until **2030-06-10**.

for **DNV**

DNV local unit: **Oslo Maritime and CAP**

Approval Engineer: **Sonali Marathe**

.....

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.

Product description

The CE-RL-01, CE-RL-02, CE-RL-03 and NOV6-A Smart Client are fanless maritime computer. PPC-120T-RL-0x and PPC-156T-RL-0x are fanless and rugged low power multi- touch Maritime Panel Computer. These computers are based on the Raptor Lake-P – 13th Gen Intel® Core™ i7/i5/i3/U300E FCBGA1744 embedded processor.
Tested and approved for nominal voltage 24V DC.

Model no.	Description	Compass safe distance	
		Standard compass	Steering compass
CE-RL-01	Computer	130 cm	85 cm
CE-RL-02	Computer	130 cm	85 cm
CE-RL-03	Computer	130 cm	85 cm
NOV6-A Smart Client	Computer	130 cm	85 cm
PPC-120T-RL-0x	12" Panel Computer	120 cm	75 cm
PPC-156T-RL-0x	15.6" Panel Computer	120 cm	75 cm

In addition to Nominal voltage 24V DC the PC power adapter FSP120-AABN3 is tested and approved to use along with Computer CE-RL-01/02/03 and NOV6-A Smart Client, for nominal voltage 100V AC-240V AC.

BIOS version tested: ZT01A001

Manufactured by
Akkodis Edge Norway AS
Industriveien 25
NO-2020 Skedsmokorset
Norway

Approval conditions

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

Product certificate

If specified in the Rules, ref. Pt.4 Ch.9 Sec.1, the control and monitoring system in which the above listed hardware is used shall be delivered with a product certificate. For each such delivery the certification test is to be performed at the manufacturer of the application system before the system is shipped to the yard. The test shall be done according to an approved test program. After certification the clause for software control will be put into force.

Software control

All changes in software are to be recorded as long as the system is in use on board. Documentation of major changes is to be forwarded to DNV for evaluation and approval before implemented on board. Certification of modified functionality may be required for the particular vessel.

Application/Limitation

The USB-C and Fan/Buzzer interface are not tested/approved.

Type Approval documentation

Tests carried out

Applicable tests according to class guideline DNV-CG-0339, August 2021.

Applicable tests according to IACS Unified Requirements E10, Rev.9.

Applicable tests for protected equipment according to IEC 60945, 4th edition (2002), except salt mist test (8.12).

Marking of product

The product to be marked with:

- manufacturer name
- model name
- serial number
- power supply ratings
- compass safe distance

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE