

# TYPE APPROVAL CERTIFICATE

**This is to certify:****That the Electric Motor**

with type designation(s)  
**Y2E2 80 up to Y2E2 355**

Issued to

**Svend Hoyer A/S**  
**Hadsten Midtjylland, Denmark**

is found to comply with

**DNV GL rules for classification – Ships, offshore units, and high speed and light craft**  
**DNV GL class programme DNVGL-CP-0393 – Type approval – Rotating electrical machines**

**Application :**

**Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.**

|                         |                              |
|-------------------------|------------------------------|
| <b>Enclosure class</b>  | <b>IP55, IP56</b>            |
| <b>Insulation class</b> | <b>F</b>                     |
| <b>Temp. class (°C)</b> | <b>155</b>                   |
| <b>Voltage (V)</b>      | <b>220-690V</b>              |
| <b>Power (kW)</b>       | <b>S1 0,87kW up to 413kW</b> |
| <b>Frequency (Hz)</b>   | <b>50, 60Hz</b>              |
| <b>Speed (RPM)</b>      | <b>750 - 3600</b>            |

Issued at **Høvik** on **2017-06-19**

This Certificate is valid until **2022-06-18**.

DNV GL local station: **Aalborg**

for **DNV GL**

Approval Engineer: **Georgy Abramenko**

.....  
**Andreas Kristoffersen**  
**Head of Section**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



## Manufactured by

PR China (acc. to Svend Hoyer statement dated 08.08.2007).

## Product description

3-phase induction motors with ratings as specified in page 1 of this type approval certificate.

|                       |                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------|
| Sizes:                | S, S1, S2, M, M1, M2, M3, MB, L, L1, L2, L3, LB, LA, Ly                                                           |
| Voltage [V]:          | 220-690                                                                                                           |
| Power [kW]:           | S1 0,87 up to 413kW                                                                                               |
| Number of Poles:      | 2, 4, 6, 8                                                                                                        |
| Frame material:       | Cast iron                                                                                                         |
| Duty type :           | S1 to S6                                                                                                          |
| Ambient temperature : | 45 °C, 50 °C with power reduction                                                                                 |
| Ex rating :           | NA                                                                                                                |
| Spec. Model :         | For marine / offshore environments. On request optional with built-in units e.g. brakes, external fans, encoders. |

## Application/Limitation

For use as propulsion motor documentation according to DNV GL Rules must be submitted for approval for each project.

Product certification shall be carried out for motors of 300kW and above, as required by DNVGL rules Pt.4 Ch.8 Sec.1 Table 3.

## Type Approval documentation

### Tests carried out

IEC 60034-1:2010-02

GL Regulation for the Performance of Type Tests, part 4, edition 1999

### Marking of product

Svend Hoyer – type designation – technical data including rated voltage, RPM, rated power, ambient temperature, rated current, rated frequency, insulation class, IP class.

### Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the Type approval are complied with and that no alterations are made to the product design or choice of materials.

The main elements of the assessment are:

- Inspection on factory samples, selected at random from the production line (where practicable)
- Results from Routine Tests (RT) checked (if not available tests according to RT to be carried out)
- Review of type approval documentation
- Review of possible change in design, materials and performance
- Ensuring traceability between manufacturer's product type marking and Type Approval Certificate.

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE