

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Cable Gland

with type designation(s)
EMSKE (-L).., MMSKE

Issued to

WISKA Hoppmann GmbH
Kaltenkirchen, Germany

is found to comply with
DNV GL rules for classification – Ships, offshore units, and high speed and light craft

Application :

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Type	Material	Suitable for open deck	Suitable for Hazardous areas
EMSKE (-L)..	Brass	Yes	Yes
MMSKE	Brass	Yes	Yes

Issued at **Hamburg** on **2018-05-17**

This Certificate is valid until **2020-09-20**.

DNV GL local station: **Hamburg**

for **DNV GL**

Approval Engineer: **Uwe Supke**

.....
Arne Schaarmann
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.



Product description

Explosion protected metallic cable glands:

- Material: Brass
- Type designation: EMSKE (-L).. Connection thread M 12, 16, 20, 25, 32, 40, 50, 63
MMSKE Connection thread M 16, 18, 24, 30, 36, 45, 56
- Ingress protection: IP 68 (5bar, 30min)
- Ex classification: II 2G Ex e II,
II 2D Ex tD A21 IP 68 as per certificate PTB 04 ATEX 1112X
- all types alternatively with :
 - brass; brass + nickel-plated, brass + chromium plated
 - long and short connection thread
 - earthing cones for shielded cables
 - multiple sealing inserts, special sealing inserts and blind plugs

Application/Limitation

- Manufacturer's installation description, instructions and DNV GL rules to be followed.
- Not to be used in bulkheads/decks or for penetrating boundaries of tanks.
- Suitable for open deck
- The information related to Ex certification from recognized test institution is given as information only.
- Applications where Ex certified equipment is required will in general be subject to approval case by case based on documentation as required in DNV GL rules.

Type Approval documentation

Tests carried out

Applicable tests according to GL Guidelines for the Performance of Type Approvals, Chapter 2- Test Requirements for Electrical / Electronic Equipment and Systems (VI-7-2), Edition 2012

GL Guidelines for the Performance of Type Approvals: 2007

EN 60079-0:2006; EN 60079-7:2007; EN 61241-0:2006; EN 60529:2000

Marking of product

The products to be marked with:

- Manufacturer
- Type designation
- Ex rating

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the Type approval are complied with and that no alterations are made to the product design or choice of materials.

The main elements of the assessment are:

- Inspection on factory samples, selected at random from the production line (where practicable)
- Results from Routine Tests (RT) checked (if not available tests according to RT to be carried out)
- Review of type approval documentation
- Review of possible change in design, materials and performance
- Ensuring traceability between manufacturer's product type marking and Type Approval Certificate.

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE