

TYPE APPROVAL CERTIFICATE

This is to certify:

That the TBT-Free Anti-Fouling Systems

with type designation(s)

Intersmooth® 7460HS SPC and Intersmooth® 7465HS SPC

Issued to

International Paint Limited

GATESHEAD, TYNE AND WEAR, United Kingdom

is found to comply with

Det Norske Veritas' Type Approval Programme 1-602.3, 2012, Anti-Fouling Systems

Application :

Organotin-free self-polishing anti-fouling system.

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

This Certificate is valid until **2019-12-31**.

Issued at **Høvik** on **2015-12-17**

DNV GL local station: **Newcastle-upon-Tyne**

Approval Engineer: **Gisle Hersvik**

for **DNV GL**

Martin Strande
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

Job Id: **262.1-019866-1**
Certificate No: **TAK000006T**

Product description

Organotin-free self-polishing copolymer anti-fouling paints; **Intersmooth® 7460HS SPC** and **Intersmooth® 7465HS SPC**

Colours:

The products may be available in various colours. Please contact the local International Paint representative for details.

Active ingredients:

CAS No. 1317-39-1 Copper (I) oxide
CAS No. 14915-37-8 Copper pyrithione

Manufactured by

International Paint Limited, Stoneygate Lane, Felling, Gateshead, Tyne & Wear, NE10 0JY, United Kingdom

DNV GL local office: Newcastle-upon-Tyne

International Paint Singapore (Pte) Ltd, 3 Neythal Road, Jurong Town, Singapore

DNV GL local office: Singapore

International Paint of Shanghai Co., Ltd., 1515 Xinjinqiao Road, Pudong, 201206 Shanghai, China

DNV GL local office: Shanghai

International Paint Saudi Arabia Ltd., P O Box 37, 31411 DAMMAM, Saudi Arabia

DNV GL local office: Bahrain

INTERNATIONAL PAINT (KOREA) LTD., 8-6 B/L Chilseo Industrial Complex Kyenae-ri, Chilseo-Myeon, Haman-gun, Republic of Korea

DNV GL local office: Pusan

Akzo Nobel Ltda, Av Paiva 999 – Neves, Sao Goncalo, Rio de Janeiro, Brazil

DNV GL local office: Rio de Janeiro

Akzo Nobel India Ltd, Plot #62P, 62A,62B, 43E, Hoskote Industrial Area, Pilgumpa Hoskote Taluk, Bangalore 562 114, India

DNV GL local office: Mumbai

International Paint (Taiwan) Ltd., 20 Yu Ming Street, Ta Fa Industrial District, Kaohsiung County, 831, Taiwan

DNV GL local office: Kaohsiung

Akzo Nobel Pty Ltd, 51 McIntyre Road, PO Box 26, Sunshine, North Vic 3020, Australia

DNV GL local office: Sydney

Job Id: **262.1-019866-1**
Certificate No: **TAK000006T**

International Paint Singapore Pte. Ltd. (Vietnam), Hanoi Representative Office, Mecanimex Building, 4th Floor, No. 4 Vu Ngoc Phan Street, Dong Da District, Ha Noi City, S.R. Vietnam

DNV GL local office: Vung Tau

Responsibility

The Company (stated on the front page of this Certificate) takes the responsibility that both design and production are in compliance with Rules, Standards and/or Regulations listed on page 1 of this certificate.

Application/Limitation

The issuance of this certificate is solely connected to the control of the Anti-Fouling System AFS with regard to compliance with the International Convention on the Control of Harmful Anti-Fouling Systems on Ships.

It does not cover verification of surface preparation, corrosion protection, durability of the AFS or environmental properties other than regulated by the Convention.

Type Approval documentation

Tests carried out

Type Testing is carried out in accordance with **Type Approval documentation**, with the following results (ref. Test Certificates of 2006-08-14 from PRA Coatings Technology Centre, Hampton Middlesex, UK):

- **Intersmooth® 7460HS SPC and 7465HS SPC**: 0,048 % tin (no TBT-compounds detected).

Marking of product

Product shall be marked with *manufacturer's name*; **International Paint Limited**, *place of production* and *type designation*.

The marking is to be carried out in such a way that it is visible, legible and indelible. The marking of product is to enable traceability to the DNV GL Type Approval Certificate.

Periodical assessment

The scope of the Periodical Assessment is to verify that the conditions stipulated for the Type Approval is complied with and that no alterations are made to the product design or choice of materials.

Periodical Assessment to be performed after two (2) years (Certificate Retention) and at renewal after four (4) years (Certificate Renewal).

The main elements of the Periodical Assessment are to:

- Ensure that **Type Approval documentation** is available.
- Review design, materials, production process, and performance with respect to possible changes, in order to ensure compliance with **Type Approval documentation** and/or referenced material specifications.
- Ensure traceability between manufacturer's product marking and the DNV GL Type Approval Certificate.

END OF CERTIFICATE