DNV·GL

Certificate No:
TAK00000BA

TYPE APPROVAL CERTIFICATE

This is to certify:

That the TBT-Free Anti-Fouling Systems

with type designation(s)
HEMPEL'S ANTIFOULING GLOBIC 81950

Issued to
Hempel A/S
Kgs. Lyngby, Denmark

is found to comply with
DNV GL class programme DNVGL-CP-0110 – Type approval – Anti-fouling systems

Application :

Organotin-free self-polishing hydrolyzing Anti-fouling System.

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

This Certificate is valid until **2021-06-02**.

Issued at **Høvik** on **2016-06-03**

for **DNV GL**

DNV GL local station: **Copenhagen**

Approval Engineer: **Gisle Hersvik**

Arnstein Gloppen
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

© DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

Job Id: **262.1-022113-1**
Certificate No: **TAK00000BA**

Product description

Organotin free self-polishing hydrolyzing anti-fouling paint: **HEMPEL'S ANTIFOULING GLOBIC 81950**

Colours:
The products may be available in various colours. Please contact the local Hempel representative for details.

Active ingredients:

Copper(1)oxide	CAS No. 1317-39-1
4,5-dichloro-2-n-octyl -4-isothiazolin-3-one	CAS No. 64359-81-5

Manufactured by

HEMPEL (PORTUGAL) Lda, Vale de Catadores, 2954-002 Palmela, Portugal

DNV GL local office: Lisbon

HEMPEL (USA) INC., 600 Conroe Park North, Dr. Texas 77303 Conroe, USA

DNV GL local office: Houston

Responsibility

The Company (stated on the front page of this Certificate) takes the responsibility that both design and production are in compliance with Rules, Standards and/or Regulations listed on page 1 of this certificate.

Application/Limitation

The issuance of this certificate is solely connected to the control of the Anti-Fouling System, AFS, with regard to compliance with the International Convention on the Control of Harmful Anti-Fouling Systems on Ships.

It does not cover verification of surface preparation, corrosion protection, fire, health and safety precautions, durability of the AFS or environmental properties other than regulated by the Convention.

Type Approval documentation

-
-
-

Tests carried out

Type Testing carried out according to **Type Approval documentation**, with the following test results (Test Report from PRA, UK of 2003-01-07):

- Hempel's Antifouling Globic 81950-51110: <0.0090 % tin

Marking of product

Product/package shall be marked with *manufacturer's name, place of production*, *type designation* and *date of production/batch number*.

The marking is to be carried out in such a way that it is visible, legible and indelible. The marking of product is to enable traceability to the DNV GL Type Approval Certificate.

Periodical assessment

The scope of the Periodical Assessment is to verify that the conditions stipulated for the Type Approval is complied with and that no alterations are made to the product design or choice of materials.

Periodical Assessment to be performed after 2.5 years (Certificate Retention) and at renewal after 5 years (Certificate Renewal).

The main elements of the Periodical Assessment are to:

- Ensure that **Type Approval documentation** is available.
- Review design, materials, production process, and performance with respect to possible changes, in order to ensure compliance with **Type Approval documentation** and/or referenced material specifications.
- Ensure traceability between manufacturer's product marking and the DNV GL Type Approval Certificate.

END OF CERTIFICATE