

TYPE APPROVAL CERTIFICATE

This is to certify:

That the TBT-Free Anti-Fouling Systems

with type designation(s)

HEMPEL'S ANTIFOULING OCEANIC+ 73902, HEMPEL'S ANTIFOULING OCEANIC+ 73952

Issued to

Hempel A/S

Kgs. Lyngby, Denmark

is found to comply with

DNV GL class programme DNVGL-CP-0110 – Type approval – Anti-fouling systems

Application :

Organotin free self-polishing hydrolysing anti-fouling system.

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

This Certificate is valid until **2021-12-03**.

Issued at **Høvik** on **2016-12-04**

DNV GL local station: **Copenhagen**

Approval Engineer: **Helene Bjerke**

for **DNV GL**

Martin Strande
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

Job Id:
Certificate No: **TAK00000JM**

Product description

Organotin free self-polishing hydrolysing anti-fouling paints:

HEMPEL'S ANTIFOULING OCEANIC+ 73902 and HEMPEL'S ANTIFOULING OCEANIC+ 73952

Colours:

The products may be available in various colours. Please contact the local Hempel representative for details.

Active ingredients:

CAS No. 1317-39-1 Copper(1)oxide

CAS No. 12122-67-7 zinc ethylene- 1,2-bisdithiocarbamate (Zineb)

Manufactured by

Hempel Paints (Poland) Sp. z o.o., Ul. Modrzewiowa 2, Niepruszewo, 64-320, Buk, Poland

DNV GL local office: Gdansk

Hempel (Croatia) d.o.o., 32 Novigradska Ulica, HR 52470 Umag, Croatia

DNV GL local office: Rijeka

Hempel Paints (Emirates) LLC - Sharjah Showroom/Office/Trade Counter, P.O. Box 2000, Sharjah, United Arab Emirates

DNV GL local office: Abu Dhabi

HEMPEL (Portugal) Lda, Vale de Catadores, 2954-002 Palmela, Portugal

DNV GL local office: Lisbon

HEMPEL Manufacturing (Malaysia) Sdn. Bhd., Batu 6, Jalan Batu Pahat, 86000 Kluang, Malaysia

DNV GL local office: Singapore

Hempel (Yantai) Coatings Ltd., No.12 Zhujiang Road, Economic & Tech Development Zone, Yantai 264006, Shangdong Province, The People's Republic of China.

DNV GL local office: Qingdao

Hempel (Kunshan) Coatings Ltd., No.1 Haihong Road, Zhangpu, Kunshan 215321 Jiangsu Province, The People's Republic of China.

DNV GL local office: Shanghai

Hempel (Guangzhou) Coatings Ltd., Canghai Road No.5, Yonghe Economic District, Guangzhou Economic & Technology Development District, Guangzhou, The People's Republic of China

DNV GL local office: Guangzhou

Application/Limitation

The issuance of this certificate is solely connected to the control of the Anti-Fouling System, AFS, with regard to compliance with the International Convention on the Control of Harmful Anti-Fouling Systems on Ships.

Job Id:
Certificate No: **TAK00000JM**

It does not cover verification of surface preparation, corrosion protection, fire, health and safety precautions, durability of the AFS or environmental properties other than regulated by the Convention.

Type Approval documentation

Tests carried out

Type Testing carried out in accordance with **Type Approval documentation**, with the following test results (Test Reports from PRA, UK of 2015-10-28 and 2015-04-27):

— HEMPEL'S ANTIFOULING OCEANIC+ 73902-60600:	0.0520 % tin
— HEMPEL'S ANTIFOULING OCEANIC+ 73902-51110:	0.0525 % tin
— HEMPEL'S ANTIFOULING OCEANIC+ 73952-60600:	0.0190 % tin
— HEMPEL'S ANTIFOULING OCEANIC+ 73952-51110:	0.0510 % tin

Marking of product

Product/package shall be marked with *manufacturer's name and address, type designation and date of production/batch number*.

The marking is to be carried out in such a way that it is visible, legible and indelible. The marking of product is to enable traceability to the DNV GL Type Approval Certificate.

Periodical assessment

The scope of the Periodical Assessment is to verify that the conditions stipulated for the Type Approval is complied with and that no alterations are made to the product design or choice of materials.

Periodical Assessment to be performed after 2 and 3.5 years (Certificate Retention) and at renewal after 5 years (Certificate Renewal).

The main elements of the Periodical Assessment are to:

- Ensure that **Type Approval documentation** is available.
- Review design, materials, production process, and performance with respect to possible changes, in order to ensure compliance with **Type Approval documentation** and/or referenced material specifications.
- Ensure traceability between manufacturer's product marking and DNV GL Type Approval Certificate.

END OF CERTIFICATE