

TYPE APPROVAL CERTIFICATE

This is to certify:**That the Protective Coating Systems - Seawater Ballast Tanks**with type designation(s)
BANNOH 2000 and BANNOH 2000 QD

Issued to

Chugoku Marine Paints, Ltd. (Hiroshima Head Office)
OTAKE CITY, HIROSHIMA, Japan

is found to comply with

DNV GL class programme DNVGL-CP-0108 – Type approval – Protective coating systems for seawater ballast tanks and double-side skin spaces
IMO Resolution MSC.215(82) Performance Standard for Protective Coatings (PSPC)
IACS Unified Interpretations SC223. For Application of SOLAS Regulation II-1/3-2
Performance Standard for Protective Coatings (PSPC) for Dedicated Seawater Ballast Tanks in All Types of Ships and Double-side Skin Spaces of Bulk Carriers.**Application :****For use in ballast tanks, double-skin spaces, cofferdams and similar areas. Surface preparation and coating application as per PSPC or manufacturer's recommendations, whichever is stricter.****Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.**This Certificate is valid until **2022-03-15**.Issued at **Høvik** on **2017-03-16**DNV GL local station: **Hiroshima**for **DNV GL**Approval Engineer: **Gisle Hersvik**

Martin Strande
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

Job Id:
Certificate No: **TAK00000T5**

Product description

BANNOH 2000 and **BANNOH 2000 QD**, 2-component epoxy based, light coloured, coatings for corrosion protection of steel surfaces.

BANNOH 2000 (summer type) and **BANNOH 2000 QD** (winter type) coatings are considered as the same product with Infrared (IR) identification and Specific Gravity (SG) demonstrating that they are the same according to IACS UI SC 223. Hence, overlapping applications between summer and winter type coatings can be acceptable.

Manufactured by

Chugoku Paints B.V., Sluisweg 12, Heijningen, The Netherlands

DNV GL local station: Rotterdam

Responsibility

The Company (stated on the front page of this Certificate) takes the responsibility that both design and production are in compliance with Rules, Standards and/or Regulations listed on page 1 of this certificate.

Application/Limitation

This approval is solely connected to the corrosion prevention properties of the coating material. The approval does not include any evaluation of toxicity, contamination, pollution, or fire technical properties.

BANNOH 2000 and **BANNOH 2000 QD** are approved for application on blast cleaned surfaces and on shop primed surfaces. The following shop primers are prequalified:

CERABOND 2000	[Chugoku Marine Paints]
KCI ZINC 1000	[Kangnam Jevisco Co., Ltd.]
SIGMAWELD 165 (Sigma Proferral MC)	[PPG / Sigma Coatings]
GALVANY SHOPPRIMER IZ182(J)	[KCC Corporation]
HEMPEL'S SHOPPRIMER ZS 15890	[Hempel A/S]

Surface preparation and coating application as per PSPC or manufacturer's recommendations, whichever is stricter.

The durability of the applied coating system will depend on the steel surface preparation, coating application and the environmental conditions.

The Type Approval Certificate is invalid if the formulation of the epoxy coatings **BANNOH 2000** and **BANNOH 2000 QD** are changed to a degree deemed significant by DNV GL. If the formulation of any of the listed pre-qualified shop primers is changed to a degree deemed significant by DNV GL that shop primer cannot be used as part of the Protective Coating System.

Type Approval documentation

Tests carried out

Type Testing carried out in accordance with **Type Approval documentation**. The tests reported in DNV Bergen Reports are in accordance with procedures in IMO Resolution MSC.215(82) Performance Standard for Protective Coatings (PSPC), ref. IACS UI SC 223;

- DNV Bergen Test Report No. 2008-5384 (BANNOH 2000 on Cerabond 2000) of 2008-09-24
- DNV Bergen Test Report No. 2008-5388 (BANNOH 2000 QD on Cerabond 2000) of 2008-09-25.
- DNV Bergen Test Report No. 2009-5068 (BANNOH 2000 on KCI Zinc 1000) of 2009-04-03.

Job Id:
Certificate No: **TAK00000T5**

- DNV Bergen Test Report No. 2009-5072 (BANNOH 2000 QD on KCI Zinc 1000) of 2009-04-03.
- DNV Bergen Test Report No. 2009-5065 (BANNOH 2000 on SigmaWeld 165) of 2009-04-03.
- DNV Bergen Test Report No. 2009-5069 (BANNOH 2000 QD on SigmaWeld 165) of 2009-04-03.
- DNV Bergen Test Report No. 2009-5066 (BANNOH 2000 on Galvany IZ182(J)) of 2009-03-25.
- DNV Bergen Test Report No. 2009-5070 (BANNOH 2000 QD on Galvany IZ182(J)) of 2009-03-25.
- DNV Bergen Test Report No. 2009-5067 (BANNOH 2000 on Hempel ZS15890) of 2009-04-03.
- DNV Bergen Test Report No. 2009-5071 (BANNOH 2000 QD on Hempel ZS15890) of 2009-04-03.

Marking of product

Product/package shall be marked with *manufacturer's name and address*; **Chugoku Paints B.V., The Netherlands**, *type designation*; **BANNOH 2000 / BANNOH 2000 QD**, and *date of production/batch number*.

The marking is to be carried out in such a way that it is visible, legible and indelible. The marking of product is to enable traceability to the DNV GL Type Approval Certificate.

Periodical assessment

The scope of the Periodical Assessment is to verify that the conditions stipulated for the Type Approval is complied with and that no alterations are made to the product design or choice of materials.

Periodical Assessment to be performed after 2 and 3.5 years (Certificate Retention) and at renewal after 5 years (Certificate Renewal).

The main elements of the Periodical Assessment are to:

- Ensure that **Type Approval documentation** is available.
- Review design, materials, production process, and performance with respect to possible changes, in order to ensure compliance with **Type Approval documentation** and/or referenced material specifications.
- Ensure traceability between manufacturer's product marking and DNV GL Type Approval Certificate.

END OF CERTIFICATE