DNV·GL

Certificate No:
TAK00001J0

TYPE APPROVAL CERTIFICATE

This is to certify:

That the TBT-Free Anti-Fouling Systems

with type designation(s)
SIGMA SAILADVANCE™ GX

Issued to
PPG Coatings Europe B.V. Protective & Marine Coatings
Koprawweg 35, Westpoort 7615, 1047 BP Amsterdam, Netherlands

is found to comply with
DNV GL class programme DNVGL-CP-0110 – Type approval – Anti-fouling systems

Application :

Organotin-free self-polishing Anti-Fouling System.

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

Issued at **Hamburg** on **2019-02-13**
This Certificate is valid until **2024-02-12**.
DNV GL local station: **Rotterdam**

Approval Engineer: **Christine Löll**

for **DNV GL**

Thorsten Lohmann
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

© DNV GL 2014. DNV GL and the Horizon Graphic are trademarks of DNV GL AS.

Job Id: **262.1-030405-1**
Certificate No: **TAK00001J0**

Product description

Organotin-free self-polishing hydrolysing anti-fouling paint; **SIGMA SAILADVANCE™ GX**

Colours:
The products are available in various colours. Please contact your local PPG Representative for details.

Active ingredients:
CAS No. 1317-39-1 Copper(1)oxide
CAS No. 12122-67-7 Zineb

Manufactured by

PPG SSC Co., Ltd., 217 beon-gil 19, Yeocheon-ro, Nam-gu, Ulsan, 680-090, Rep. of Korea

DNV GL local station: Ulsan

Responsibility

The Company (stated on the front page of this Certificate) takes the responsibility that both design and production are in compliance with Rules, Standards and/or Regulations listed on page 1 of this certificate.

Application/Limitation

The issuance of this certificate is solely connected to the control of the Anti-Fouling System, AFS, with regard to compliance with the International Convention on the Control of Harmful Anti-Fouling Systems on Ships.

It does not cover verification of surface preparation, corrosion protection, fire, health and safety precautions, durability of the AFS or environmental properties other than regulated by the Convention.

Type Approval documentation

Tests carried out

Type Testing carried out in accordance with Type Approval documentation, with the following results (ref. report No. LAB15-0275-REP from COT BV, Haarlem, Netherlands of 2015-06-04:

— **SIGMA SAILADVANCE™GX**: < 0.025 % tin content

Marking of product

Product shall be marked with manufacturer's name; **PPG SSC Co., Ltd., Korea** and type designation **SIGMA SAILADVANCE™GX**.

The marking is to be carried out in such a way that it is visible, legible and indelible. The marking of product is to enable traceability to the DNV GL Type Approval Certificate.

Periodical assessment

The main elements of the Periodical Assessment are to:

- Ensure that Type Approval documentation is available.

- Review design, materials, production process, and performance with respect to possible changes, in order to ensure compliance with Type Approval documentation and/or referenced material specifications.

- Ensure traceability between manufacturer's product marking and DNV GL Type Approval Certificate.

END OF CERTIFICATE