TYPE APPROVAL CERTIFICATE

Certificate No:
TAM00000FD

This is to certify:

That the Diesel Engine

with type designation(s)
3500 Series

Issued to
Caterpillar, Inc.
IN Lafayette, United States

is found to comply with
DNVGL Rules for Classification: Ships/ High Speed and Light Craft, DNV GL Offshore Standard DNVGL-OS-D101, Marine and machinery systems and equipment

Application :

propulsion / auxiliary / emergency

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV GL.

This Certificate is valid until **22nd February, 2022**.

Issued at **Hamburg** on **23rd February, 2017**
DNV GL local station: **New York** for **DNV GL**

Approval Engineer: **Ralph Michael**

Frank Lutz
Head of Section

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

Product description

four stroke, v-engine, non-reversible, trunk-piston, with supercharging, with charge air cooling, constant-pressure charging system, direct injection, injection operation by cams, valve operation by cams, liquid fuel

Cylinder bore :	170
Piston stroke :	190
No. of cylinders :	8, 12, 16

Additional place of production

Caterpillar Tianjin Ltd., Tianjin, China
Caterpillar India Pvt. Ltd. Power Systems Division, Hosur, India

Application/Limitation

Rated power [kW/cyl.]	130	120.5	84.37	81.56	75.69
Rated speed [rpm]	1925	1800	1600	1200	1000
Mean effective pressure [bar]	18.86	18.63	16.14	20.6	21.06
Max. firing pressure [bar]	-	-	-	-	-
Definition	non-cont.	cont.	cont.	cont.	cont.

Type Approval documentation

Tests carried out

Documentation:

Test report titel	Type test report 3516B
Place of test	Lafayette, Indiana U.S.A.
Date of test	1998-03-02, 1983-06-10

Test engine:

Model	3516B
Serial no.	8KN00231
No. of cylinders	16
Power [kW/cyl.]	121.2
Speed [rpm]	1835

Marking of product

The product to be marked with manufacturer's name or trademark and type number identification.

Periodical assessment

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.
The objective of the Periodical Assessment is to verify that the conditions for the Type Approval are not altered since the Type Approval certificate was issued.
In case where the Type Approved product is manufactured at other companies, the Periodical Assessment shall verify that the Type Approval applicant has a quality control system for consistent production at their licensees/subcontractors. Furthermore Periodical Assessment shall be carried out randomly at these companies.

Other Conditions

Engine safety, control and monitoring systems, including sensors, cables and actuators are not covered by this type approval certificate. Documentation for engine safety, control including speed governing and monitoring systems shall be submitted for approval according to DNV GL Rule Pt.4 Ch.9 Sec.1

Capability of redundancy, e.g. connection for service of independent stand-by pump on engine with mechnically driven pump for a single propulsion application is not covered by this type approval certificate.Documentation for an individuell ship project shall be submitted for approval according

Job Id: **262.1-002133-11**
Certificate No: **TAM00000FD**

to DNV GL Rule Pt.4 Ch.6 Sec.5 / Item 1-1.1, Pt.4 Ch.1 Sect.3/ Item 2-2.3

END OF CERTIFICATE