



Certificate No:
TAS00003EH

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Offshore Container

with type designation(s)

Primary Frame 4.20 x 2.44 x 2.71 11.0 t Weldment

Issued to

NOV HydraRig - A Division of National Oilwell Varco UK Ltd
Great Yarmouth, Norfolk, United Kingdom

is found to comply with

DNV standard DNV-ST-E271 – 2.7-1 Offshore containers, January 2021 (Amended October 2021)

ISO 10855:2018 Offshore containers and associated liftings sets – Design, manufacture, testing, inspection and marking

IMO/MSC Circular 860

Application :

Max. gross mass (kg) 11000

Max. payload (kg) 500

Max. sling leg angle 45

Enhancement factor 1.456

Issued at **Aberdeen** on **2022-05-20**

This Certificate is valid until **2027-05-19** .

for **DNV**

DNV local unit: **Great Yarmouth**

Approval Engineer: **Elisabeth Legg**

.....
Satya Shyamala Kuppli

Team Lead - Containers

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Form code: TA 281

Revision: 2021-10

www.dnv.com

Page 1 of 3



Job Id: 262.1-037430-1
Certificate No: TAS00003EH

Manufactured by

DNV CIM No.: 125420

Local DNV Office: Great Yarmouth

Responsibility

NOV Hydra Rig takes full responsibility that both the design and production are in compliance with the Rules, Standards and / or Regulations listed on page 1.

Product description

Maximum external dimensions (LxWxH)	: 4200 x 2438 x 2713 mm
Tare mass*	: 10500 kg

* Tare mass is to be confirmed by weighing. The sum of payload and tare shall never exceed the maximum gross mass stated on the front page of this certificate.

Application/Limitation

Design temperature	: -20 °C
Minimum shackle pin diameter	: 27.8 mm

The DNV surveyor shall witness all important production and testing events and issue a certificate for each container. The certificate is only valid when the container is fitted with a DNV-ST-E271 certified lifting set.

Tests carried out

Prototype 15876001 tested in accordance with DNV-ST-E271.

Marking of product

Each container to be marked in accordance with DNV / ISO requirements, including:

- Data and inspection plates
- DNV emblem for offshore containers
- NV mark to be hard stamped on the data plate
- Manufacturer's serial number shall be welded on frame
- Removable items shall be marked with the frame serial number.
- Frame shall be stencilled with words to the effect of "removable items shall be fitted during all lifting and transportation activities".



Job Id: **262.1-037430-1**
Certificate No: **TAS00003EH**

Periodical assessment

In order to maintain the validity of the type approval certificate, periodical assessments should be carried out according to DNV-SE-0284 at 2 and 3.5 year intervals. Periodical assessments will, when possible, be harmonised with other surveys and audits carried out.

END OF CERTIFICATE