



Certificate No:
TAS00003HF

TYPE APPROVAL CERTIFICATE

This is to certify:

That the Offshore Container

with type designation(s)
Frame for Unisplit C Winch S

Issued to

NOV ELMAR, a division of National Oilwell Varco UK Limited
Kintore, Aberdeenshire, United Kingdom

is found to comply with

DNV standard DNV-ST-E271 – 2.7-1 Offshore containers, January 2021 (Amended October 2021)
ISO 10855:2018 Offshore containers and associated liftings sets – Design, manufacture, testing, inspection and marking
IMO/MSC Circular 860

Application :

Max. gross mass (kg) 7500
Max. payload (kg) 4300
Max. sling leg angle 30
Enhancement factor 1.666

Issued at **Aberdeen** on **2022-09-02**

This Certificate is valid until **2027-09-01** .

for **DNV**

DNV local unit: **Aberdeen**

Approval Engineer: **Elisabeth Legg**

.....
Satya Shyamala Kuppli
Team Lead - Containers

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.



Form code: TA 281

Revision: 2021-10

www.dnv.com

Page 1 of 3

Manufactured by

Manufacturer Name	Location	DNV Local Office	DNV CIM Number
		Ostrava	10061202
		Aberdeen	10117849
		Singapore	111232
		Aberdeen	10110171
		Ostrava	10047195
		Aberdeen	1246999
		Dubai	10121862
		Singapore	1098319
		Houston	10462843
		Rotterdam	10489253
		Kuala Lumpur	1003901

Responsibility

National Oilwell Varco UK Ltd. takes full responsibility that both the design and production are in compliance with the Rules, Standards and / or Regulations listed on page 1 of this Type Approval Certificate.

Product description

Type	Maximum external dimensions (LxWxH)	Tare mass*
Frame for Unisplit C Winch S	1671 x 1500 x 2583 mm	3200 kg

* Tare mass is to be confirmed by weighing and it shall never exceed the maximum gross mass stated on the front page of this certificate.

Application/Limitation

Type	Design temperature	Minimum shackle pin diameter
Frame for Unisplit C Winch S	-20 °C	25.5 mm

The DNV surveyor shall witness all important production and testing events and issue a certificate for each container. The certificate is only valid when the container is fitted with a DNV-ST-E271 certified lifting set.

The connecting items associated with the removable primary items shall be checked for damage prior to transportation and lifting activities. Should any signs of significant wear or damage be evident, these items shall be replaced with equivalent fasteners. The connecting items shall be permanently secured to the structure by means of a chain or equivalent. This information shall be transferred to the DNV offshore container certificate.

Type Approval documentation

Tests carried out

This Type Approval covers design only. i.e. the Type Approval is not valid for the final product, but may be used as basis for obtaining a product certificate.

Tilt test(s) (30°) shall be performed in accordance with DNV-ST-E271 section 4.6.5. The method in which the container is loaded shall be representative of the true centre of gravity during transport when in both laden and unladen conditions

Marking of product

Each container to be marked in accordance with DNV / ISO requirements, including:

- Data and inspection plates
- DNV emblem for offshore containers
- NV mark to be hard stamped on the data plate
- Manufacturer's Serial Number to be welded on frame.
- Removable primary items shall be marked with frame's serial number.
- The frame shall be stencilled with words to the effect of "removable items shall be fitted during all lifting and transportation activities".

Periodical assessment

In order to maintain the validity of the type approval certificate, periodical assessments should be carried out according to DNV-SE-0284 at 2 and 3.5 year intervals. Periodical assessments will, when possible, be harmonised with other surveys and audits carried out.

END OF CERTIFICATE